



BARRETT®



2026 PRODUCTS
CATALOG

DEFY LIMITS

Barrett® has become the global benchmark for precision, durability, and large caliber dominance. From its small workshop beginnings to deploying world-renowned firearms across more than 80 State Department–approved nations, Barrett stands alone as the first father-and-son team to design rifles adopted by the U.S. Military. For over 44 years, a legacy has been built on deliberate engineering, relentless innovation, and uncompromising performance in the world’s most sought-after firearms. We continue to Defy Limits—leading by design, shaping the future, and pushing the edge of what’s possible.



UNLOCK COLORS

An expanded Cerakote® palette is available for 2026. Every M107A1®, Model 82A1®, and MRAD® can now be ordered in one of five new solid finishes: White, Blaze, Liberty, Burnt Bronze, and Sniper Green, along with optional Woodland Camo and Grey Urban Camo patterns. Our standard color options remain available as well.

Visit barrett.net for the full lineup of current color offerings. For all order inquiries, contact your local Barrett Dealer, Sales Representative, or Law Enforcement/Military channel partner. Lead times may vary.



EXPANDED PALETTE

M107A1®, Model 82A1®, and MRAD® are currently the qualified product offerings for this program with future products being evaluated in the future.



AVAILABLE SPECIAL
MAKEUP COLORS
AND PATTERNS:



White



Blaze



Liberty



Burnt Bronze



Sniper Green




Woodland Camo










Grey Urban Camo

FIREARMS



SEMI-AUTOMATIC

BOLT-ACTION





ACCESSORIES

SEMI-AUTOMATIC

CALIBERS AT-A-GLANCE



35



39

	50 BMG	416 Barrett	375 EnABELR	338 LM	338 NM	300 NM	300 PRC	7mm PRC	300 WM	308 Win	7.62 x 51 NATO	6.5 Creed	5.56 x 45 NATO
M107A1	•												
MODEL 82A1	•	•											
MODEL 99	•	•											
MRADLR		•	•										
MRAD MK 22					•	•					•		
MRAD				•	•	•	•	•	•	•	•	•	
MRAD COVERT											•	•	
MRAD SMR				•	•	•	•	•	•	•	•	•	
REC10											•	•	
REC7 DI													•

SUPPRESSORS

AMMUNITION



QDL

45



AM338 & AML338

46



50 BMG

49



416 BARRETT


50



Elevating long-range dominance with earth shattering power, unmatched reliability, and increased capability, the M107A1 builds upon its incredible legacy to forge new frontiers in anti-materiel warfare. Key components have been precisely redesigned to achieve a four-pound weight reduction while enhancing its strength and optimizing Barrett QDL suppressor compatibility. This semi-automatic 50 BMG powerhouse relentlessly expands the horizons of tactical performance and innovation.


Specifications

Caliber	50 BMG	50 BMG
Operation	Recoil-Operated, Semi-Automatic	Recoil-Operated, Semi-Automatic
Barrel Length	20" (508 mm)	29" (737 mm)
Rail	23" (584 mm) / 27 MOA	23" (584 mm) / 27 MOA
Overall Length	48" (1219 mm)	57" (1448 mm)
Twist Rate	1 : 15" (381 mm)	1 : 15" (381 mm)
Weight	27.4 lbs (12.4 kg)	28.7 lbs (13.0 kg)
Mag. Capacity	10	10



M107A1®

M107A1[®]



Features

- 1 | Recoil-operated, semi-automatic
- 2 | Nitride bolt carrier and hydraulic buffer aids in reliability with suppressor use
- 3 | Accepts Barrett QDL suppressor
- 4 | 4 lbs. (1.8 kg) overall weight reduction compared to original M107
- 5 | Electroless nickel plating on bolt assembly for reduced wear, maintenance, and added corrosion resistance
- 6 | Lightweight aluminum upper receiver with integral 23" (584 mm) 27 MOA M1913 optics rail
- 7 | 20" (508 mm) or 29" (737 mm) barrel with chrome-lined chamber and bore
- 8 | Flip-up iron sights
- 9 | Mil-Spec hard anodized upper receiver and parkerized lower receiver base with Cerakote[®] Black, Tungsten Grey, or Flat Dark Earth final finish for enhanced corrosion resistance
- 10 | Modular rear hand grip mounted on M1913 rail accepts lightweight adjustable monopod
- 11 | 10-round steel magazine with cartridge witness indicators
- 12 | Lightweight adjustable bipod
- 13 | Thermal cheek piece
- 14 | Heavy duty sorbothane recoil pad
- 15 | Accepts side accessory rails
- 16 | Front and rear sling loops
- 17 | Accepts Barrett tripod adapter mount



STANDARD
AVAILABLE
COLORS:

Black

Tungsten Grey


Flat Dark Earth



Pioneering unprecedented power and precision across extreme combat environments for 44 years, the Model 82A1 shattered boundaries in long-range anti-materiel warfare. With revolutionary recoil reduction, seamless handling, and relentless semi-automatic 50 BMG performance, this legendary shoulder-fired rifle continually redefines what's achievable in engineering and dominance.


Specifications

Caliber	50 BMG	50 BMG	416 Barrett
Operation	Recoil-Operated, Semi-Automatic	Recoil-Operated, Semi-Automatic	Recoil-Operated, Semi-Automatic
Barrel Length	20" (508 mm)	29" (737 mm)	29" (737 mm)
Rail	23" (584 mm) / 27 MOA	23" (584 mm) / 27 MOA	23" (584 mm) / 27 MOA
Overall Length	48" (1219 mm)	57" (1448 mm)	57" (1448 mm)
Twist Rate	1 : 15" (381 mm)	1 : 15" (381 mm)	1 : 12" (305 mm)
Weight	30.1 lbs (13.7 kg)	31.4 lbs (14.2 kg)	31.9 lbs (14.5 kg)
Mag. Capacity	10	10	10



MODEL 82A1®

MODEL 82A1[®]



Features

- 1 | Recoil-operated, semi-automatic
- 2 | High-efficiency arrowhead 2-port brake for 50 BMG and cylindrical 3-port brake for 416 Barrett
- 3 | Mil-Spec parkerized base steel upper and lower receivers with either a black manganese phosphate finish or Cerakote[®] Flat Dark Earth finish for enhanced corrosion resistance
- 4 | 23" (584 mm) 27 MOA M1913 optics rail with carrying handle
- 5 | 20" (508 mm) or 29" (737 mm) barrel with chrome-lined chamber and bore
- 6 | 10-round steel magazine
- 7 | Flip-up iron sights
- 8 | Rear hand grip accepts adjustable monopod
- 9 | Adjustable bipod
- 10 | Heavy duty sorbothane recoil pad
- 11 | Accepts side accessory rails
- 12 | Front and rear sling loops
- 13 | Accepts Barrett tripod adapter mount
- 14 | Phosphate bolt carrier and bolt for durability, reliability, and corrosion resistance



STANDARD
AVAILABLE
COLORS:

Black


Flat Dark Earth



Pushing the frontiers of long-range precision across hunting, competition, and military applications, the Model 99 excels with its rugged, purpose-driven design and minimal moving parts in a single-shot bolt-action platform. The Model 99 consistently expands the horizons of accuracy, minimized recoil, and exceptional durability in the most demanding scenarios.


Specifications

Caliber	50 BMG	50 BMG	416 Barrett
Operation	Single-Shot, Bolt-Action	Single-Shot, Bolt-Action	Single-Shot, Bolt-Action
Barrel Length	29" Fluted (737 mm)	32" Heavy (813 mm)	32" Heavy (813 mm)
Rail	13.75" (349 mm) / 27 MOA	13.75" (349 mm) / 27 MOA	13.75" (349 mm) / 27 MOA
Overall Length	47" (1194 mm)	50" (1270 mm)	50" (1270 mm)
Twist Rate	1 : 15" (381 mm)	1 : 15" (381 mm)	1 : 12" (305 mm)
Weight	23 lbs (10.4 kg)	25 lbs (11.3 kg)	25 lbs (11.3 kg)
Shot Capacity	1	1	1



MODEL 99™

MODEL 99™



Features

- 1 | One piece aluminum extrusion receiver
- 2 | Easy feed, single-shot
- 3 | Interrupted, buttress-threaded bolt for superior lock up
- 4 | Black Mil-Spec hard anodized base with Cerakote® Black or Flat Dark Earth final finish
- 5 | 13.75" (349 mm) 27 MOA attached M1913 optics rail
- 6 | Match grade 29" (736 mm) fluted or 32" (813 mm) heavy barrel with Chrome-lined chamber (416 Barrett only)
- 7 | Available in 50 BMG or 416 Barrett
- 8 | 3-port high-efficiency muzzle brake
- 9 | QDL suppressor capable when used with QDL Muzzle Brake (sold separately)
- 10 | Rear hand grip accepts adjustable monopod (sold separately)
- 11 | Heavy duty sorbothane recoil pad
- 12 | Adjustable bipod
- 13 | 5 shot, Sub-MOA group with 50 BMG and 416 Barrett Precision ammunition



AVAILABLE COLORS:

Black

Flat Dark Earth



Furthering extreme long-range mastery through cutting-edge technology, precision engineering, and Barrett's unrivaled expertise, the MRAD ELR shatters boundaries in the realm of ELR marksmanship. With a commanding 2nd place finish at the King of 2 Miles and honored as Best ELR Rifle by Ballistic's Best Editors' Select, this bolt-action 416 Barrett powerhouse effortlessly breaks new ground for performance, delivering unparalleled accuracy and endurance in the most demanding scenarios.


Specifications

Caliber	416 Barrett	416 Barrett	375 EnABELR
Operation	Bolt-Action Repeater	Bolt-Action Repeater	Bolt-Action Repeater
Barrel Length	30" (762 mm)	36" (914 mm)	30" (762 mm)
Rail	24.63" (626 mm) / 10 MIL	24.63" (626 mm) / 10 MIL	24.63" (626 mm) / 10 MIL
Overall Length	56.5" (1435 mm)	62.5" (1588 mm)	56.5" (1435 mm)
Twist Rate	1 : 12" (305 mm)	1 : 12" (305 mm)	1 : 8" (203 mm)
Weight	25.3 lbs (11.5 kg)	25.4 lbs (11.5 kg)	25.3 lbs (11.5 kg)
Mag. Capacity	5	5	5



MRAD ELR™

MRAD^{ELR}



Features

- 1 | User-changeable barrels and calibers with tool-less quick-change firing pin and bolt head
- 2 | Electroless nickel plating on bolt head and nitride bolt body for reduced wear, maintenance, and added corrosion resistance
- 3 | Oversized recoil pad with push button height adjustment and push button length of pull
- 4 | Fixed stock with mounted rear bag rider on M1913 rail
- 5 | Height adjustable, locking polymer cheek piece
- 6 | M-LOK[®] compatible modular upper receiver
- 7 | Continuous integral 24.6" (626 mm) / 10 MIL top rail
- 8 | High-efficiency 3-port muzzle brake
- 9 | QDL suppressor capable when used with QDL Muzzle Brake (sold separately)
- 10 | Adjustable single stage trigger module can be removed without tools
- 11 | Standard MRAD ambidextrous 45° safety
- 12 | 5 round, single stack, polymer magazine
- 13 | Ambidextrous magazine release and relief cut magazine well for quick reloads
- 14 | Accepts standard M4/M16 pistol grips
- 15 | Accepts most standard aftermarket bolt knobs with 60° bolt throw
- 16 | One piece polymer bolt guide acts as dust cover and provides smooth bolt cycling
- 17 | Mil-Spec hard anodized base with Cerakote[®] Black, Tungsten Grey or Flat Dark Earth final finish
- 18 | Match-grade, single point cut, hand lapped stainless steel barrel
- 19 | 5 shot, Sub-MOA group with 416 Barrett Precision ammunition



AVAILABLE COLORS:



Black

Tungsten Grey

Flat Dark Earth



Empowering multi-role precision and adaptability in elite operational scenarios, the MRAD MK 22 exemplifies the groundbreaking evolution of the MRAD platform as a USSOCOM and U.S. Army contract winner. Chambered in 338 NM, 300 NM, and 7.62x51 NATO, it ensures Sub-MOA accuracy and effortless adaptability to conquer diverse missions and user demands.


Specifications

Caliber	338 NM	300 NM	7.62 x 51 NATO
Operation	Bolt-Action Repeater	Bolt-Action Repeater	Bolt-Action Repeater
Barrel Length	27" (686 mm)	26" (660 mm)	20" (508 mm)
Rail	22" (559 mm) / 10 MIL	22" (559 mm) / 10 MIL	22" (559 mm) / 10 MIL
Overall Length	49.4" (1255 mm)	48.4" (1229 mm)	42.4" (1077 mm)
Twist Rate	1 : 9.4" (240 mm)	1 : 8" (200 mm)	1 : 8" (200 mm)
Weight	15.2 lbs (7.0 kg)	15.2 lbs (7.0 kg)	13.9 lbs (6.3 kg)
Mag. Capacity	10	10	10



MRAD[®] MK 22[™]

MRAD® MK 22™



Features

- 1 | Push button adjustable length of pull and recoil pad height
- 2 | Polymer cheek piece is height adjustable and reversible
- 3 | Lightweight folding stock provides compact mobility
- 4 | Polymer bolt guide acts as dust cover and provides smooth bolt cycling
- 5 | 10 MIL rail
- 6 | Mil-Spec hard anodized base with Cerakote® Coyote final finish
- 7 | M-LOK® compatible upper receiver that comes with 9-slot M-LOK® rails
- 8 | Match-grade, fluted stainless steel barrels
- 9 | High-efficiency, AM338 & AML338 suppressor compatible muzzle brake
- 10 | 3 user-changeable calibers*
- 11 | Beveled magazine well for quick reloads
- 12 | 10-round, drop free, polymer magazine
- 13 | Ambidextrous magazine release is accessible while maintaining firing grip
- 14 | Oversized trigger guard allows access with gloves
- 15 | Factory set 2.5 lb. single-stage trigger with anti-tamper epoxy on the adjustment screws
- 16 | Accepts most standard M4/M16 pistol grips
- 17 | Thumb-operated 45° safety configurable for right or left-handed operation
- 18 | Bag rider rail cover
- 19 | AML338 suppressor sold separately
- 20 | 5 Shot, Sub 0.85 MOA performance



AVAILABLE
COLOR:

Coyote

SCOPE COMBO KIT COMES WITH: (2) 10-round magazines, bipod, bag rider, (2) sling swivels, (3) accessory rails, ASR or PSR scope & mount, factory zeroing target, and Pelican™ hard carrying case.

DEPLOYMENT KIT COMES WITH: Please see next page for the complete list of included MRAD MK 22 accessories.

**Compatible with all MRAD barrel conversion kits*



MRAD MK 22 Pelican™ Case & Soft Case

338NM
27" Barrel



300NM
26" Barrel



7.62x51 NATO
20" Barrel



338NM
(5 Magazines)



300NM
(5 Magazines)



7.62x51
(5 Magazines)



Bore Guide



AML338 Suppressor*



Suppressor Cover



Operator's Manual



Bag Rider



Bipod



Recoil Pad Spacer Kit



Operator Cleaning Kit



Sling



Operator Tool Kit
and Spare Parts



Cleaning Rod


*Optic and suppressor shown in this publication are sold separately.



Revolutionizing versatility and precision across the most demanding environments, the MRAD unlocks unprecedented adaptability with 8 user-changeable calibers enabling seamless conversions to conquer diverse challenges. With its fully adjustable folding stock, the MRAD's innovative modular framework and relentless focus on accuracy set the new standard in mission flexibility and capability for military forces, law enforcement, and elite long-range marksmen.


Specifications

Caliber	338 LM	338 NM	300 NM	300 PRC	7mm PRC	300 WM	308 Win	6.5 Creed
Operation	Bolt-Action Repeater	Bolt-Action Repeater						
Barrel Length	26" (660 mm)	17" (432 mm) 24" (610 mm)	24" (610 mm)					
Rail	22" (559 mm) 10 MIL	22" (559 mm) 10 MIL						
Overall Length	49.4" (1255 mm)	40.4" (1026 mm) 47.4" (1204 mm)	47.4" (1204 mm)					
Twist Rate	1:9.4" (240 mm)	1:9.4" (240 mm)	1:8" (200 mm)	1:8" (200 mm)	1:8" (200 mm)	1:8" (200 mm)	1:8" (200 mm)	1:8" (200 mm)
Weight	14.5 lbs (6.6 kg)	11.9 lbs (5.4 kg) 13.3 lbs (6.0 kg)	13.3 lbs (6.0 kg)					
Mag. Capacity	10	10	10	10	10	10	10	10



MRAD®

MRAD[®]



AVAILABLE COLORS:



Features

- 1 | Push button adjustable length of pull and recoil pad height
- 2 | Polymer cheek piece is height adjustable and reversible
- 3 | Lightweight folding stock provides compact mobility
- 4 | Polymer bolt guide acts as dust cover and provides smooth bolt cycling
- 5 | 10 MIL rail
- 6 | M-LOK[®] compatible upper receiver
- 7 | Mil-Spec hard anodized base with Cerakote[®] Black, Tungsten Grey, or Flat Dark Earth final finish
- 8 | Match-grade, fluted stainless steel barrels
- 9 | High-efficiency, AM338 & AML338 suppressor compatible muzzle brake
- 10 | 8 user-changeable calibers
- 11 | Relief cut magazine well for quick reloads
- 12 | 10-round, drop free, polymer magazine
- 13 | Ambidextrous magazine release is accessible while maintaining firing grip
- 14 | Oversized trigger guard allows access with gloves
- 15 | Adjustable 2-stage trigger module that can be removed without tools
- 16 | Accepts most standard M4/M16 pistol grips
- 17 | Thumb-operated 45° safety configurable for right or left-handed operation
- 18 | 5 Shot, Sub 0.85 MOA performance (caliber dependent)
- 19 | Comes with 5-slot and 9-slot M-LOK[®] rails



MRAD® COVERT

Transforming tactical mobility and precision for the most discreet scenarios, the MRAD Covert breaks new ground by disassembling effortlessly to fit within a bag or backpack, enabling exceptional concealment and rapid transport. Further expanding the renowned MRAD platform with enhanced compactness, adaptability, and mobility, this modular platform continues to advance the frontiers of accuracy and versatility for military operators, law enforcement teams, and long-range enthusiasts.

Specifications

Caliber	308 Win	6.5 Creed
Operation	Bolt-Action Repeater	Bolt-Action Repeater
Barrel Length	17" (432 mm)	17" (432 mm)
Rail	13" (330 mm) / 10 MIL	13" (330 mm) / 10 MIL
Overall Length	40.4" (1026 mm)	40.4" (1026 mm)
Twist Rate	1 : 8" (203 mm)	1 : 8" (203 mm)
Weight	11.9 lbs (5.4 kg)	11.9 lbs (5.4 kg)
Mag. Capacity	10	10



NEW FOR
2026

[BACK TO THE LINEUP](#)

MRAD® COVERT



AVAILABLE COLORS:



**Rifle fits into Eberlestock Adapt or can be tailored to end user request for similar bag*

***Compatible with all MRAD barrel conversion kits*

Features


- 1 | Compact folding system can be broken down to fit a variety of discreet carrying options*
- 2 | Push button adjustable length of pull and recoil pad height
- 3 | Polymer cheek piece is height adjustable and reversible
- 4 | Polymer bolt guide acts as dust cover and provides smooth bolt cycling
- 5 | 10 MIL rail
- 6 | M-LOK® compatible upper receiver
- 7 | Mil-Spec hard anodized base with Cerakote® Black, Tungsten Grey, or Flat Dark Earth final finish
- 8 | Match-grade, fluted stainless steel barrels
- 9 | High-efficiency, AM338 & AML338 suppressor compatible muzzle brake
- 10 | 2 user-changeable calibers**
- 11 | Relief cut magazine well for quick reloads
- 12 | 10-round, drop free, polymer magazine
- 13 | Ambidextrous magazine release is accessible while maintaining firing grip
- 14 | Oversized trigger guard allows access with gloves
- 15 | Adjustable 2-stage trigger module that can be removed without tools
- 16 | Accepts most standard M4/M16 pistol grips
- 17 | Thumb-operated 45° safety configurable for right or left-handed operation
- 18 | 5 Shot, Sub 0.85 MOA performance



Purpose built, efficient, and fixed caliber, the MRAD SMR (Single Mission Rifle) has been meticulously developed to cater towards specific mission requirements. With an impressive 90% parts commonality with the standard MRAD, it ensures a seamless transition for users familiar with the platform. Offering a thoughtfully curated selection of seven fixed calibers, the MRAD SMR delivers mission-specific performance with the reliability and precision Barrett is known for.


Specifications

Caliber	338 LM	338 NM	300 NM	300 PRC	300 WM	308 Win	6.5 Creed
Operation	Bolt-Action Repeater	Bolt-Action Repeater					
Barrel Length	26" (660 mm)	17" (432 mm) 24" (610 mm)	24" (610 mm)				
Rail	22" (559 mm) 10 MIL	22" (559 mm) 10 MIL					
Overall Length	48.5" (1232 mm)	39.5" (1003 mm) 46.5" (1181 mm)	46.5" (1181 mm)				
Twist Rate	1: 9.4" (240 mm)	1: 9.4" (240 mm)	1: 8" (200 mm)	1: 8" (200 mm)	1: 8" (200 mm)	1: 8" (200 mm)	1: 8" (200 mm)
Weight	12.3 lbs (5.6 kg)	10.6 lbs (4.8 kg) 12.0 lbs (5.4 kg)	12.0 lbs (5.4 kg)				
Mag. Capacity	10	10	10	10	10	10	10



MRAD[®] SMR

MRAD[®] SMR



AVAILABLE COLORS:



Features

- 1 | Polymer cheek piece is height adjustable and reversible
- 2 | Fixed stock (additional length of pull available with spacer kit)
- 3 | Polymer bolt guide acts as dust cover and provides smooth bolt cycling
- 4 | 10 MIL rail
- 5 | Mil-Spec hard anodized base with Cerakote[®] Black, Tungsten Grey, or Flat Dark Earth final finish
- 6 | M-LOK[®] compatible upper receiver
- 7 | High-efficiency, AM338 & AML338 suppressor compatible muzzle brake
- 8 | 7 non-interchangeable calibers
- 9 | Match-grade, fluted stainless steel barrels
- 10 | Beveled magazine well for quick reloads
- 11 | 10-round, drop-free, polymer magazine
- 12 | Ambidextrous magazine release is accessible while maintaining firing grip
- 13 | Oversized trigger guard allows access with gloves
- 14 | Adjustable 2-stage trigger module that can be removed without tools
- 15 | Thumb-operated 45° safety configurable for right or left-handed operation
- 16 | Accepts most standard M4/M16 pistol grips
- 17 | Non-adjustable recoil pad
- 18 | 5 Shot, Sub 0.85 MOA performance (caliber dependent)
- 19 | Comes with 7-slot M-LOK[®] rail
- 20 | Standard MRAD upper & lower receiver compatible



Redefining premium precision and resilience in the most demanding conditions, the REC10 emerges from advanced engineering and rigorous testing to deliver exceptional accuracy, durability, and feature-rich performance. With its fully ambidextrous controls, optimized gas system for minimal recoil, and premium hardware, this semi-automatic rifle continually raises the bar for tactical versatility and elite craftsmanship for operators, enthusiasts, and precision shooters.

Specifications

Variants	REC10 DMR / REC10 LR	REC10 DMR / REC10 LR
Caliber	308 Win	6.5 Creed
Operation	Direct Impingement, Semi-Automatic	Direct Impingement, Semi-Automatic
Barrel Length	16" (406 mm) / 20" (508 mm)	16" (406 mm) / 20" (508 mm)
Overall Length	34.5" (876 mm) / 41.5" (1054 mm)	34.5" (876 mm) / 41.5" (1054 mm)
Twist Rate	1 : 10" (254mm)	1 : 8" (203 mm)
Weight	9.0 lbs (4.1 kg) / 10.6 lbs (4.8 kg)	9.0 lbs (4.1 kg) / 10.6 lbs (4.8 kg)
Mag. Capacity*	20	20

**Standard AR10 magazines are compatible in a variety of capacities*



**COMING BACK
MID 2026**

REC10 

REC10[®]



Features

- 1 | Direct impingement, semi-automatic
- 2 | 5-shot Sub-MOA performance
- 3 | TriggerTech AR-10 adaptable two stage trigger
- 4 | TB-41 DLC bolt carrier
- 5 | Radian charging handle
- 6 | Magpul SL carbine stock (DMR) and PRS Lite stock (LR)
- 7 | 15" Barrett M-LOK[®] handguard with 3 anti-rotation tabs
- 8 | 7075 aluminum billet upper and lower receivers
- 9 | Mil-Spec hard anodized base with Cerakote[®] Black, Tungsten Grey, or Flat Dark Earth finish for enhanced corrosion resistance
- 10 | Flared magwell
- 11 | Huxwrx muzzle device
- 12 | 416R Stainless steel 5R rifled match barrel
- 13 | Radian Talon 45/90 safety
- 14 | Full ambidextrous controls
- 15 | 8 position anti-rotation buffer tube



AVAILABLE COLORS:

Black

Tungsten Grey

Flat Dark Earth

<< BACK TO THE LINEUP

BACK TO THE LINEUP >>



With precision and reliability at its core, the REC7 DI features a mid-length gas system that performs flawlessly with or without a suppressor. Each rifle is hand-built and rigorously tested to ensure the quality and accuracy Barrett is renowned for. Chambered in 5.56 x 45 NATO, the REC7 DI is designed specifically for situations in which there's no room for error.

Specifications

Caliber	5.56 x 45 NATO
Operation	Direct Impingement, Semi-Automatic
Barrel Length	16" (406 mm)
Overall Length	33" (838 mm)
Twist Rate	1 : 7" (178 mm)
Weight	6.6 lbs (3.0 kg)
Mag. Capacity*	30

**Standard AR15 magazines are compatible in a variety of capacities*



REC7[®] DI

REC7® DI



Features

- 1 | Direct impingement, semi-automatic
- 2 | Magnesium phosphate bolt carrier group
- 3 | 4150 CMV cold hammer forged chrome lined barrel
- 4 | Forged aluminum receivers with black anodized finish
- 5 | 15" Barrett M-LOK® handguard with 3 anti-rotation tabs
- 6 | 3-prong flash hider
- 7 | Beveled magazine well for rapid changes
- 8 | ALG QMS trigger
- 9 | Enhanced trigger guard allows access with gloves
- 10 | Ambidextrous 90° safety
- 11 | Mil-Spec charging handle
- 12 | Magpul stock with adjustable length of pull
- 13 | Magpul MOE pistol grip
- 14 | 30-Round Magpul PMAG
- 15 | Geissele Super Compact Gas Block
- 16 | Anti-tilt & rotation duck-bill buffer tube



AVAILABLE
COLOR:

Black



Barrett suppressors excel in noise reduction and recoil control without compromising accuracy. The adaptable design offers seamless integration with a variety of firearms, ensuring shooters can maintain peak performance in any scenario.

Specifications

Model	QDL (Quick Detach Large)
Caliber	50 BMG and 416 Barrett
Length	14.8" (376 mm)
Diameter	2.5" (64 mm)
Weight	4.9 lbs (2.2 kg)
Sound Reduction	23 dB
Mount / Thread Pitch	Barrett® QDL Muzzle Brake: 7/8 x 14
Materials	4130 Steel

Model	AM338	AML338
Caliber	338 LM/NM and below	338 LM/NM and below
Length	9.9" (252 mm)	10.3" (262 mm)
Diameter	1.8" (46 mm)	1.9" (48 mm)
Weight	1.3 lbs (0.6 kg)	1.6 lbs (0.7 kg)
Sound Reduction	< 140 db	< 140 db
Mount / Thread Pitch	Barrett® AM338 Muzzle Brake Adapter: 3/4 x 24 / 5/8 x 24*	Barrett® AM338 Muzzle Brake Adapter: 3/4 x 24 / 5/8 x 24*
Materials	Grade 5 Titanium Core	Grade 5 Titanium Core w/ 4140 Lock Ring

*5/8 x 24 Muzzle Brakes are not compatible with 338 calibers

SUPPRESSORS

QDL



AVAILABLE
COLORS:



Black

Flat Dark Earth

The Barrett QDL suppressor is a cutting-edge firearm accessory that excels in noise reduction without compromising performance. Its modular design seamlessly integrates with the M107A1®, Model 99™*, and MRADEL™*, offering versatility and ease of attachment. Beyond minimizing noise signatures, the QDL ported recoil reducing brake provides a comfortable and controlled shooting experience. Backed by Barrett's commitment to quality, this suppressor stands as a testament to innovative firearm technology.

**When equipped with a QDL Muzzle Brake*



AM338 & AML338



AVAILABLE
COLORS:



Black

AM338 Coyote

AML338

Crafted for precision bolt-action rifles, the Adapter Mount (AM) and Adapter Mount Locking (AML) monocoil suppressors minimize point impact shift without compromising accuracy. The AM338 and AML338 models offer versatile compatibility across various calibers, facilitated by Barrett AM338 Muzzle Brake Adapters available in 5/8 x 24 and 3/4 x 24 configurations. This level of adaptability proves Barrett's focus on real-world precision and interchangeability in firearm accessories.



<< BACK TO THE LINEUP

BACK TO THE LINEUP >>



Engineered for precision and performance, Barrett's ammunition is designed to deliver unmatched accuracy, consistency, and power, ensuring your rifle operates at its full potential. Trust in the quality that matches your rifle – for excellence in every shot.

Specifications

Caliber	50 BMG Precision
Cartridge Quantity	10 Rounds (Box) / 100 Rounds (Case)
Overall Length	5.450" (140 mm)
Muzzle Velocity	2,800 fps (32" Barrel)
Bullet / Weight	Cutting Edge Bullets MTAC / 660 gr
Ballistic Coefficient	0.777 (G1) / 0.390 (G7)

Caliber	416 Barrett Precision	416 Barrett Range
Cartridge Quantity	10 Rounds (Box) / 80 Rounds (Case)	10 Rounds (Box) / 80 Rounds (Case)
Overall Length	4.64" (118 mm)	4.64" (118 mm)
Muzzle Velocity	2,850 fps (36" Barrel)	2,850 fps (36" Barrel)
Bullet / Weight	Hornady A-Tip / 500 gr	Cutting Edge Bullets MTAC / 452 gr
Ballistic Coefficient	0.967 (G1) / 0.492 (G7)	0.83 (G1) / 0.42 (G7)



AMMUNITION

50 BMG



AVAILABLE
GRADE:

Precision

Our 50 BMG ammunition is ready for action. Every cartridge is loaded with noncorrosive powder and primers as well as a 660 gr projectile using state-of-the-art machinery. Ammunition is sold in 10-round boxes, 100-round cases, or 100-round crates.

Compatible with:

M107A1*



MODEL 82A1*



MODEL 99*



416 BARRETT



AVAILABLE
GRADES:

Precision Range

Specifically developed for extreme long-range target engagement, the 416 Barrett precision line of ammunition provides unmatched external and terminal ballistic performance. Utilizing Hornady™ 500 gr A-Tip® Match projectiles with quality components, 416 Barrett delivers exceptional results with low drag coefficient, allowing users to experience consistent Sub-MOA precision and capable of engaging targets beyond 2,500 yards.

Compatible with:

MRADLR™



MODEL 99™



MODEL 82A1* (Range Only)





LIMITS ARE
MEANT TO
BE DEFIED.





BARRETT FIREARMS HEADQUARTERS

P.O. Box 1077

Murfreesboro, TN 37133 USA

615-896-2938

barrett.net

SALES & CUSTOMER SERVICE

mail@barrett.net

TRAINING

training@barrett.net

LAW ENFORCEMENT

le@barrett.net

MILITARY

military@barrett.net

DEALER DIRECT

dealer@barrett.net

MARKETING & MEDIA

media@barrett.net

INTERNATIONAL

international@barrett.net

