



2020 CATALOG





M107A1®

BARRETT

Features & Specs

- 1 | 4 lbs. (1.8 kg) overall weight reduction compared to original M107
- 2 | 20" (508 mm)* or 29" (737 mm) barrel with fully chrome-lined chamber and bore
- 3 | Lightweight aluminum upper receiver with integral 23" (584 mm) 27 MOA M1913 optics rail
- 4 | Nickel Teflon® coatings on bolt assembly for reduced maintenance
- 5 | Anti-corrosive coatings
- 6 | Accepts Barrett QDL Suppressor
- 7 | Suppressor-ready bolt carrier and buffer assemblies
- 8 | Thermal cheek guard
- 9 | Back up iron sights
- 10 | Lightweight quick detach adjustable bipod
- 11 | 10-round steel magazine with cartridge witness indicators
- 12 | Modular rear hand grip mounted on M1913 rail accepts lightweight monopod
- 13 | Sorbothane® recoil pad

Caliber	50 BMG
Barrel Length	20" (508 mm), 29" (737 mm)
Twist	1:15" (381 mm)
Weight	27.4 lbs (12.4 kg), 28.7 lbs (13.0 kg)
Overall Length	48" (1220 mm), 57" (1448mm)
Colors	Black, Tungsten Grey, FDE



MODEL 82A1®



Features & Specs

- 1 | Semi-automatic recoil operated
- 2 | 20" (508 mm) or 29" (737 mm) fluted barrel
- 3 | 23" (584 mm) 27 MOA M1913 rail with carrying handle
- 4 | High efficiency arrowhead 2-port brake for 50 BMG and cylindrical 3-port brake for 416 Barrett
- 5 | 10-round steel magazine
- 6 | Steel receivers with anti-corrosive coating
- 7 | Chrome lined chamber and bore
- 8 | Front and rear sling loops
- 9 | Flip up iron sites
- 10 | Accepts side accessory rails
- 11 | Quick detach adjustable bipod
- 12 | Rear hand grip accepts adjustable monopod
- 13 | Sorbothane® recoil pad

Caliber	50 BMG
	416 BARRETT
Barrel Length	20" (508 mm), 29" (737 mm)
Twist	1:15" (381 mm)
	1:12" (305 mm) (416 ONLY)
Weight	31.5 lbs (14.3 kg), 32.7 (14.8 kg)
Overall Length	48" (1220 mm), 57" (1448 mm)
Colors	Black, Tungsten Grey, FDE, Burnt Bronze



MODEL 95™



Features & Specs

- 1 | Compact, lightweight bullpup design
- 2 | Simplistic bolt carrier assembly with quick release lever
- 3 | Ergonomic bolt handle design
- 4 | Durable parkerized finish
- 5 | 11.25" (296 mm) 27 MOA M1913 optics rail
- 6 | Chrome-chambered 29" (736 mm) steel fluted barrel
- 7 | 3-port high efficiency muzzle brake
- 8 | 5-round steel magazine
- 9 | Accepts rear adjustable monopod
- 10 | Sorbothane® recoil pad

Caliber	50BMG
Barrel Length	29" (736 mm) Fluted
Twist	1:15" (381 mm)
Weight	23.5 lbs (10.7 kg)
Overall Length	45" (1143 mm)
Colors	Black



MODEL 99™



Features & Specs

- 1 | One piece aluminum extrusion receiver
- 2 | Easy feed, single shot
- 3 | Interrupted, buttress-threaded bolt for superior lock up
- 4 | Black Mil-Spec Type 3, Class 2 hardcoat anodized base with Cerakote finish
- 5 | 13.75" (349 mm) 27 MOA attached M1913 optics rail
- 6 | Match grade 29" (736 mm) fluted or 32" (813 mm) heavy barrel
- 7 | Available in 50 BMG or 416 Barrett
- 8 | 3-port high efficiency muzzle brake
- 9 | Match-quality trigger
- 10 | Quick-release assembly pins
- 11 | Rear hand grip accepts adjustable monopod
- 12 | Sorbothane® recoil pad

Caliber	50 BMG
	416 Barrett
Barrel Length	29" (736 mm Fluted)
	32" (813 mm Heavy)
Twist	1:15" (381 mm)
	1:12" (305 mm) (416 ONLY)
Weight	23 lbs (10.4 kg), 25 lbs (11.4 kg)
Overall Length	47" (1190 mm), 50" (1270 mm)
Colors	Black, Flat Dark Earth

MRAD®

The Barrett logo, featuring the word "BARRETT" in a bold, sans-serif font, with a stylized "B" and "A" inside a square frame.

Features & Specs



- 1 | Match grade barrels available in multiple lengths and profiles with sub MOA accuracy
- 2 | User changeable calibers
- 3 | 10-round, drop free, polymer magazine
- 4 | Integral 10 mil 22" (559 mm) M1913 optics rail
- 5 | Mil-Spec Type 2, Class 3 Hardcoat anodized available in Cerakote™, Black, Flat Dark Earth, OD Green, Tungsten Grey, & Burnt Bronze
- 6 | Fully adjustable trigger module can be removed without tools
- 7 | Thumb-operated safety configurable for right/ left handed operation
- 8 | Length of pull adjustable by push button
- 9 | Polymer cheek piece is height adjustable from either side
- 10 | Lightweight folding stock provides compact mobility
- 11 | Polymer bolt guide acts as dust cover and provides smooth bolt cycling
- 12 | Multiple length accessory rails can be mounted at 3, 6, and 9 o'clock positions
- 13 | High efficiency muzzle brake
- 14 | Relief cut magazine well for quick reloads
- 15 | Ambidextrous magazine release
- 16 | Accepts most standard M4/M16 pistol grips




MRAD®



Features & Specs

Caliber	338 Norma Magnum - 1:9.4" (240 mm)
	338 Lapua Magnum - 1:9.4" (240 mm)
	300 Norma Magnum - 1:8" (200 mm)
	300 PRC (Stainless Steel) - 1:8" (200 mm)
	300 Winchester Magnum - 1:8" (200 mm)
	308 Winchester - 1:8" (200 mm)
Barrel Length	6.5 Creedmoor - 1:8" (200 mm)
	17" (432 mm) - 26" (660 mm) (varies by caliber)
Weight	13 lbs (5.9 kg) - 14.4 lbs (6.5 kg)
Overall Length	43.4" (1102 mm) - 49.4" (1254 mm)
Colors	Black, Tungsten Grey, Flat Dark Earth



MRAD® (SMR)

BARRETT

FEATURES & SPECS

- 1 | Specifically designed for single caliber use
- 2 | 2.5 pounds lighter than the standard MRAD
- 3 | Match grade barrels available in multiple lengths and profiles with sub MOA accuracy
- 4 | 10-round, drop free, polymer magazine
- 5 | Integral 10 mil 22" (559 mm) M1913 optics rail
- 6 | Mil-Spec Type 2, Class 3 Hardcoat anodized available in Cerakote™, Black, Flat Dark Earth, OD Green, Tungsten Grey, & Burnt Bronze
- 7 | Fully adjustable trigger module can be removed without tools
- 8 | Thumb-operated safety configurable for right/ left handed operation
- 9 | Polymer cheek piece is height adjustable from either side
- 10 | Polymer bolt guide acts as dust cover and provides smooth bolt cycling
- 11 | Multiple length accessory rails can be mounted at 3, 6, and 9 o'clock positions
- 12 | High efficiency muzzle brake
- 13 | Relief cut magazine well for quick reloads
- 14 | Ambidextrous magazine release
- 15 | Accepts most standard M4/M16 pistol grips



MRAD® (SMR)



Features & Specs

Caliber	338 Norma Magnum - 1:9.4" (240 mm)
	338 Lapua Magnum - 1:9.4" (240 mm)
	300 Norma Magnum - 1:8" (200 mm)
	300 PRC (Stainless Steel) - 1:8" (200 mm)
	300 Winchester Magnum - 1:8" (200 mm)
	308 Winchester - 1:8" (200 mm)
Barrel Length	6.5 Creedmoor - 1:8" (200 mm)
	17" (432 mm) - 26" (660 mm) (varies by caliber)
Weight	10.5 lbs (4.8 kg) - 11.8 lbs (5.4 kg)
Overall Length	43.4" (1102 mm) - 49.4" (1254 mm)
Colors	Black , Tungsten Grey, Flat Dark Earth

REC7®

Features & Specs

BARRETT



- 1 | 6-position stock
- 2 | Radian charging handle
- 3 | Magpul backup iron sights
- 4 | Integrated strike face, anti-tilt bolt carrier
- 5 | Bolt carrier group is plated in a super-tough TB-41 DLC coating
- 6 | Barrett M-LOK® handguard
- 7 | One piece piston
- 8 | Two-position gas plug
- 9 | Barrett 3-prong flash hider or muzzle brake
- 10 | Ambidextrous safety
- 11 | Beveled magazine well for rapid changes
- 12 | ALG Defense QMS Trigger (SBR, Flyweight)
Geissele SSA Trigger (Carbine, DMR)
- 13 | Enhanced trigger guard
- 14 | Comes with Barrett branded soft carry case
- 15 | Colors: **Black**, **Tungsten Grey**, **Flat Dark Earth**,
Burnt Bronze, **OD Green**

REC7® CARBINE

Caliber	5.56 NATO
	6.8 SPC
Barrel Length	16" (406 mm)
Twist	1:7" (178 mm) (5.56 NATO)
	1:10" (254 mm) (6.8 SPC)
Weight	7.2 lbs (3.3 kg)
Overall Length	33.25" (845 mm)



REC7® FLYWEIGHT

Caliber	5.56 NATO
Barrel Length	16" (406 mm)
Twist	1:7" (178 mm)
Weight	6.1 lbs (2.77 kg)
Overall Length	34.5 lbs (876 mm)



REC7® SBR

Caliber	5.56 NATO
Barrel Length	11.5" (292 mm)
Twist	1:7" (178 mm)
Weight	6.1 lbs (2.77 kg)
Overall Length	25.9" (657 mm)



REC7® DMR

Caliber	5.56 NATO
Barrel Length	18" (457 mm)
Twist	1:7.7" (196 mm)
Weight	7.91 lbs (3.6 kg)
Overall Length	38.3" (976 mm)



REC7 DI®

Features & Specs



- 1 | 6-position stock
- 2 | Radian charging handle
- 3 | Magpul backup iron sights
- 4 | Bolt carrier group is plated in a super-tough TB-41 DLC coating
- 5 | Unique Barrett gas block easily serviceable by users
- 6 | Barrett high-precision barrel
- 7 | Barrett 3-prong flash hider or muzzle brake
- 8 | Comes with the Barrett M-LOK® rail system handguard installed
- 9 | Ambidextrous safety
- 10 | ALG QMS Trigger
- 11 | Comes with Barrett branded soft carry case
- 12 | Colors: **Black**, **Tungsten Grey**, **Flat Dark Earth**, **Burnt Bronze**, **OD Green**

REC7 DI®

Features & Specs

REC7 DI® CARBINE

Caliber	5.56 NATO 1:7" (178 mm) twist
	6.8 SPC 1:10" (254 mm) twist
	300 BLACKOUT 1:7" (178 mm) twist
Barrel Length	16" (406 mm)
Weight	6.2 lbs (2.8 kg)
Overall Length	36" (914 mm)



REC7 DI® PISTOL

Caliber	5.56 NATO
	300 BLACKOUT
Barrel Length	10.25" (260 mm)
Twist	1:7" (178 mm)
Weight	5.45 lbs (2.47 kg)
Overall Length	26.25" (667 mm)



REC7 DI® SBR

Caliber	5.56 NATO
	300 BLACKOUT
Barrel Length	10.25" (260 mm)
Twist	1:7" (178 mm)
Weight	5.5 lbs (2.5 kg)
Overall Length	30.25" (768 mm)



REC7 DI® DMR

Caliber	5.56 NATO
Barrel Length	18" (457 mm)
Twist	1:7" (178 mm)
Weight	8 lbs (3.63 kg)
Overall Length	38" (965 mm)



P.O. Box 1077
Murfreesboro, TN 37133

615.896.2938
barrett.net

Barrett has grown to be the world leader in long range rifle design and manufacturing. Their products are used by civilian sport shooters, law enforcement agencies, the United States military, and more than 70 State Department approved countries around the world. The Barrett Quality Management System (QMS) has received the prestigious ISO 9001:2015 certification for the design and manufacture of firearms, ammunition, accessories, and in the training provided for those systems.

The obsession with firearms excellence runs deep in the Barrett family blood.

"It's one thing to manufacture guns and another to live and breathe them. Whether we're carefully assembling our latest rifle, engineering scope rings to be stronger than ever, or increasing the velocity and precision of the ammunition itself – we're always working with one goal in mind: there's always a better way."

– Ronnie Barrett CEO and Founder

